



EUROPEAN COMMISSION  
DIRECTORATE-GENERAL FOR HEALTH AND FOOD SAFETY

Brussels, 28.07.2017

## COMMISSION DATABASE OF HOST PLANTS FOUND TO BE SUSCEPTIBLE TO XYLELLA FASTIDIOSA IN THE UNION TERRITORY – UPDATE 9

List of host plants referred to in Article 1(b) of Commission Implementing Decision (EU) 2015/2417 of 17 December 2015, which have been found to be susceptible to *Xylella fastidiosa* in the Union territory, or, where a Member State has demarcated an area with regard to only one or more subspecies of *Xylella fastidiosa* pursuant to the second subparagraph of Article 4(1) of that Decision, as having been found to be susceptible to that or those subspecies.

### **Host plant found to be susceptible to *Xylella fastidiosa* subsp. *fastidiosa***

*Cistus mospeliensis* L.

*Prunus avium* L.

*Streptocarpus*

*Erysimum*

*Vitis vinifera* L.

### **Host plants found to be susceptible to *Xylella fastidiosa* subsp. *multiplex***

*Acacia dealbata* Link

*Acer pseudoplatanus* L.

*Anthyllis hermanniae* L.

*Artemisia arborescens* L.

*Asparagus acutifolius* L.

*Calicotome villosa* (Poiret) Link

*Cercis siliquastrum* L.

*Cistus creticus* L.

*Cistus monspeliensis* L.

*Cistus salviifolius* L.

*Coronilla valentina* L.

*Cytisus scoparius* (L.) Link  
*Cytisus villosus* Pourr.  
*Ficus carica* L.  
*Fraxinus angustifolia* Vahl  
*Genista x spachiana* (syn. *Cytisus racemosus* Broom)  
*Genista corsica* (Loisel.) DC.  
*Genista ephedroides* DC.  
*Hebe*  
*Helichrysum italicum* (Roth) G. Don  
*Lavandula angustifolia* Mill.  
*Lavandula dentata* L.  
*Lavandula stoechas* L.  
*Lavandula x allardii* (syn. *Lavandula x heterophylla*)  
*Lavandula x intermedia*  
*Metrosideros excelsa* Sol. ex Gaertn.  
*Myrtus communis* L.  
*Olea europaea* L.  
*Pelargonium graveolens* L'Hér  
*Phagnalon saxatile* (L.) Cass.  
*Prunus cerasifera* Ehrh.  
*Prunus domestica* L.  
*Quercus suber* L.  
*Rosa canina* L.  
*Spartium junceum* L.  
*Westringia fruticosa* (Willd.) Druce

**Host plants found to be susceptible to *Xylella fastidiosa* subsp. *pauca***

*Acacia saligna* (Labill.) Wendl  
*Asparagus acutifolius* L.  
*Catharanthus*  
*Chenopodium album* L.  
*Cistus creticus* L.  
*Dodonaea viscosa* Jacq.  
*Eremophila maculata* F. Muell.

*Erigeron sumatrensis* Retz.  
*Erigeron bonariensis* L.  
*Euphorbia terracina* L.  
*Grevillea juniperina* L.  
*Heliotropium europaeum* L.  
*Laurus nobilis* L.  
*Lavandula angustifolia* Mill.  
*Lavandula stoechas* L.  
*Myrtus communis* L.  
*Myoporum insulare* R. Br.  
*Olea europaea* L.  
*Pelargonium x fragrans*  
*Phillyrea latifolia* L.  
*Prunus avium* (L.) L.  
*Rhamnus alaternus* L.  
*Spartium junceum* L.  
*Vinca*  
*Westringia fruticosa* (Willd.) Druce  
*Westringia glabra* L.

**Host plants found to be susceptible to *Xylella fastidiosa* - irrespective of the subspecies -**

*Coffea*  
*Lavandula dentata* L.  
*Nerium oleander* L.  
*Polygala myrtifolia* L.  
*Prunus dulcis* (Mill.) D.A. Webb  
*Rosmarinus officinalis* L.